

UCx Feature Guide for Nortel IP phones with Feature Key mode enabled

System: UCx

Release: 5.0

Phone models: Nortel IP Phones i20xx Series, 11xx Series and 12xx Series



TABLE OF CONTENTS

1.	INTR	ODUCTION	5
	1.1	Controls and Buttons	6
2.	USAG	3E	7
	2.1	Making a Call	7
		Using Off-hook dialing	7
		Using On-hook dialing	7
		Using Handsfree dialing	7
		Using System Directory	7
		Using Call History (Call Log)	7
		Using Calls key	8
		Using Last Number Redial	8
		Using Hotline	8
		Using Intercom (Voice Call)	8
		Using Paging	8
		Using Page General	8
		Using Page Zones	9
		Using Ring Again (Call Back)	9
		Using User Speed Dial	9
		Using System Speed Dial	10
	2.2	While on a Call	10
		On Hold	10
		Transfer (Attended)	10
		Transfer (Blind)	10
		Transfer to Voicemail Box	10
		Call Park	11
		Call Park Retrieval	11
		Display Name/Number for active call	11
		Display Name/Number for incoming call while on an active call	11
		Disconnect	11
	2.3	Incoming Calls	12
		Internal Auto Answer	12
		Call Pickup	12
		Group Pickup	
	1 a tu a T - I	©2016 2920 M/ Darker Dd Unit D201 Diana TV USA 75075	



	Call Waiting	12
	Call Forward All/Unconditional ¹	12
	Remote Call Forward All/Unconditional ¹	13
	Call Forward Busy ¹	13
	Remote Call Forward Busy ¹	13
	Call Forward Unavailable ¹	13
	Remote Call Forward Unavailable ¹	13
	Call Forward to Voicemail ¹	13
	Do Not Disturb	14
2.4	Calls with Multiple Parties	14
	Call Join	14
	Conference	14
2.5	Additional System Features	15
	Blacklist	15
	Blacklist Cancel	15
	Blacklist Last Caller	15
	Call Recording toggle	15
	Call Timer	15
	Call Trace	15
	Caller ID Blocking	16
	Follow Me toggle	16
	Intercom Allow	16
	Intercom Disallow	16
	Speak your Extension	16
	Speak Time	16
	Static Time and Date	16
	Stamp Log	16
	Wake Up Call	16
2.6	Phone Configuration Features	17
	External Autodial	17
	Internal Autodial	17
	Configure Feature	17
	Language	
	Ring Type	



		Ring Volume	.18
		Contrast	.18
		Time Zone Offset	.19
		Button Inquiry	.19
		Test Set	.19
	2.7	Hotdesking	.19
		Hotdesk from a phone with the Services Key	.19
		Hotdesk from an unregistered phone	.20
		Hotdesk from a phone with a programmed key	.21
	2.8	Call Center Agent Features	.21
3.	SERV	ICES KEY	.23
		Features available from Services Key listed in order of appearance	.23
4.	VOIC	EMAIL	.25
	4.1	Accessing Voicemail	.25
	4.2	Direct Dial to Voicemail	.25
5.	USER	EXTENSION PORTAL	.26



1. INTRODUCTION

This Feature Guide describes the usage of your Nortel IP Phone when Feature Key mode is enabled. With Feature Key mode enabled, the operation of your Nortel IP phone when connected to the UCx Server operates like a Nortel BCM phone by displaying a Feature key that is used to invoke features using feature codes.

Depending on the model of phone you have, different keys may be offered for different features. Nevertheless, there are some basic set of controls and buttons that will be available across all models.

The figure below shows the button layout of the 1140E IP phone as a reference. Refer to the respective Nortel IP phone user guide for the button layout of your phone.





1.1 Controls and Buttons

Standard telephone controls and buttons are listed in the table below.

Name	Control/Button	Description
Dial pad		Standard telephone dial pad
Volume Up/Down		Ringer volume/sound volume
Mute	1 @	Mute/unmute toggle
Handsfree		Enable handsfree mode
Up/Down/Left/Right Navigation keys		Menu navigation
Inbox	」 と	Voicemail
Outbox	يم ا	Call history (Call log)
Directory	Ø	Company directory
Release (Goodbye)	f	Release a call; Exit; End of a feature
Headset		Enable headset mode (if a headset is present)
Hold		Put call on-hold
Services	P	Provides a list of features that can be invoked
Feature	Feature	Invokes features via feature codes



2. USAGE

2.1 Making a Call

Feature	Steps
Using Off-hook dialing	 Lift handset. Dial the number.
Using On-hook dialing	 Press the Line key. Dial the number.
Using Handsfree dialing	 Press the Handsfree key or Headset key if headset is connected. Dial the number.
Using System Directory	 Press the Directory key OR Press the Feature softkey followed by feature code 960. Use the dial pad to enter the first 3 letters of either the first or last name of the person you want to call.
Using Call History (Call Log)	 Press the Outbox key OR Press the Feature softkey followed by feature code 812. Press the Recvd, Placed or Missed soft key to view the list of received, dialed or missed calls. Use the Up/Down Navigation keys to view call log entries. On Nortel phones with a single display line, use the More soft key to view additional information about call log entries. Press the Call soft key to call the phone number from the selected call log entry. Note: The Call Log feature is NOT supported on phones that have single line display screens and do not have soft keys.



Using Last Number Redial

1. 2.

1.

1.

Using Calls key

Using Hotline

1.	Press the Calls soft key to view details of missed calls.	
2.	Press the Call soft key to call the phone number from the selected call log entry.	
The Calls soft key will appear when there are missed calls since the last use of the phone.		
1.	Press the Line key followed by the the Redial soft key OR Press the Feature soft key followed by feature code 5 .	
1.	Lift handset or press the Line/Handsfree/Headset key and the configured number is dialed automatically.	
The Hotline feature and number is configured by the UCx Administrator on a per extension basis.		

Using Intercom (Voice Call)	 Press the Feature soft key followed by feature code 66. Enter the EXTENSION number. Speak into the handset and your voice will be heard on the dialed EXTENSION's speaker
Using Paging	 Dial the PAGE GROUP extension number. Speak into the handset and your voice will be heard on the speakers of the extensions that belong to the page group. Page Groups are configured by the UCx Administrator under Paging and Intercom.
Using Page General	 Press the Feature soft key followed by feature code 60. Speak into the handset and your voice will be heard on the speakers of the extensions that belong to the Default page group.



Б

Using Page Zones	 Press the Feature soft key followed by feature code 61X, where X is the zone number from 1 to 6. Speak into the handset and your voice will be heard on the speakers of the extensions that belong to Page Zone X. The first page group with Group Description ending with the digit "X" will be treated as Page Zone X.
Using Ring Again (Call Back)	 Dial an extension and if you receive a Busy tone or if there is No Answer. Press the RngAgn soft key. If Ring Again is activated when the dialed extension is Busy, you will be notified when the extension becomes idle. If Ring Again is activated when the dialed extension has No Answer, you will be notified when there is activity on the phone and the phone becomes idle. When the extension you want to reach is available, you will be notified and prompted to call back the extension. If you respond Yes, the feature will dial the extension immediately. If you respond No, Ring Again for that extension will be cancelled.
Using User Speed Dial	 Dial *75 to enter the user speed dial menu. Enter the speed dial location and press the # sign. Follow the audio prompts. The same steps are used to add or change a speed dial entry. For an existing entry, the following audio prompts are presented: To Listen to the number To Change the entry location To Change the number To Cancel and delete the entry



Using System Speed Dial	 Press the Feature soft key followed by the feature code 0. Enter the Speed Dial Code.
	Speed Dial Codes are configured by the UCx Administrator under Phonebook.

2.2 While on a Call

Feature	Steps
On Hold	1. To place an active call on hold, just press the Hold key.
	2. To retrieve the call previously put on-hold, press the Line key with the held call.
	3. If a call is placed on hold for an extended period of time, a notification tone will be played.
	The time interval for the notification tone is configurable and can also be disabled by your UCx Administrator under Nortel Settings.
Transfer (Attended)	1. Press the Transfer soft key and the original caller is placed on hold.
	 Enter the other number you want to call and press the Call soft key or the # sign.
	3. When the other party answers, you can consult with the other party first.
	 To connect the other party with the original caller press the Transfer soft key.
	To abort the transfer, press the Cancel soft key or the Release key to return to the original caller.
Transfer (Blind)	1. Dial ## and the system prompt will say "Transfer" and present dial tone.
	2. Enter the other number you want to transfer the call to.
	3. The call is immediately transferred.
Transfer to Voicemail Box	1. Press the Feature soft key followed by the feature code 986.
	2. Enter the mailbox number you want to transfer to.



Feature	Steps
Call Park	 Press the Feature soft key followed by the feature code 74. The system will say and display the PARKING LOT number. To retrieve the parked call, dial the PARKING LOT number from any phone. If nobody retrieves a parked call within the timeout period, the call is automatically sent back to the extension that parked the call. The duration of the timeout is configurable by the UCx Administrator under Parking Lot.
Call Park Retrieval	 An alternative method to retrieve a parked call is to dial *86. The oldest parked call is retrieved regardless of who parked the call.
Display Name/Number for active call	 The Name and Number of the calling party is automatically displayed for an active call. For telephones with only a single line display, you can press the Info soft key to toggle between the Name and Number.
Display Name/Number for incoming call while on an active call	 The Name and Number of another incoming call is automatically displayed while you are active on an existing call. By default, the Name and Number will be displayed for 5 seconds. The Call Display Timer is configurable by your UCx Administrator under Nortel Settings.
Disconnect	 If using the handset, replace the handset into the cradle or press the Release key. If using Handsfree or Headset, press the Release key.



2.3 Incoming Calls

Feature	Steps	
Internal Auto Answer	 When Internal Auto Answer is set to Intercom, all calls from internal extensions will behave as intercom calls (i.e. auto-answered). All external calls or calls under certain circumstances (e.g. Blind Transfer and Follow Me) will behave as a normal call. Internal Auto Answer is configured by the UCx Administrator on a per extension basis. The feature is disabled by default. 	
Call Pickup	 Press the Feature soft key followed by the feature code 76. Enter the EXTENSION number that is ringing. Press the Enter soft key to invoke the pickup. 	
Group Pickup	 Press the Feature soft key followed by the feature code 75. Call ringing at another extension in your pickup group is picked up. Call group and Pickup group(s) are configured by the UCx Administrator on a per extension basis. 	
Call Waiting	 To activate Call Waiting, dial *70. To deactivate Call Waiting, dial *71. To use call waiting, your phone must be configured to have 2 or more lines (DN) keys. When you have 2 or more line keys and call waiting is enabled, you will receive additional incoming calls until there is no free line key. When call waiting is disabled, you will not receive incoming calls if you have a call on at least one of the line keys - additional line keys can be used only to make outgoing calls 	
Call Forward All/Unconditional ¹	 Press the Feature soft key followed by the feature code 4. Enter or change the destination number. Press the Forwd soft key to invoke call forward all calls. To cancel, press the Feature soft key followed by the feature code #4. 	



Feature	Steps
Remote Call Forward All/Unconditional ¹	 To activate Call Forward All/Unconditional from another local phone, dial *720.
	 If calling from an external phone, dial your DISA number followed by the PIN code. When dial tone is presented, dial *720.
	3. Enter your EXTENSION number when prompted.
	4. Enter the destination number.
	5. To deactivate Call Forward All/Unconditional, dial *73 + EXTENSION.
Call Forward Busy ¹	 To activate Call Forward on Busy, dial *90 + EXTENSION. (For example, to call forward to extension 200, dial *90200.)
	2. To deactivate Call Forward on Busy, dial *91 .
Remote Call Forward Busy	1. To activate Call Forward Busy from another local phone, dial *910 .
1	 If calling from an external phone, dial your DISA number followed by the PIN code. When dial tone is presented, dial *910.
	3. Enter your EXTENSION number when prompted.
	4. Enter the destination number.
	5. To deactivate Call Forward on Busy, dial *91 + EXTENSION.
Call Forward Unavailable ¹	 To activate Call Forward on Unavailable, dial *52 + EXTENSION. (For example, to call forward to extension 200, dial *52200.)
	2. To deactivate Call Forward on Unavailable, dial *53 .
Remote Call Forward Unavailable ¹	 To activate Call Forward All/Unconditional from another local phone, dial *520.
	 If calling from an external phone, dial your DISA number followed by the PIN code. When dial tone is presented, dial *520.
	3. Enter your EXTENSION number when prompted.
	4. Enter the destination number.
	5. To deactivate Call Forward on Unavailable dial *53 + EXTENSION.
Call Forward to Voicemail ¹	1. Press the Feature soft key followed by the feature code 984.
	2. To cancel, press the Feature soft key followed by the feature code #4 .



Feature	Steps
Do Not Disturb	 Press the DND key OR Press the Feature soft key followed by the feature code 85. When DND is active on your phone, the phone display shows "Do not disturb". To deactivate Do Not Disturb, press the DND key again OR press the Feature soft key followed by the feature code #85

1: Dial ***74** from any local phone to deactivate all types of call forwarding for the specified extension.

2.4 Calls with Multiple Parties

Feature	Steps		
Call Join	 While in a call or conference on the first Line (DN) key, press the Hold key. The caller(s) on the first line is placed on hold. 		
	2. Make or receive a call on the second Line key		
	3. Press the Conf soft key, followed by the Join soft key.		
	4. Press the first Line key to join all parties into a conference.		
	5. You can continue to add as many parties to the existing conference with the above steps.		
	 Note: The Call Join capability is applicable only under the following conditions: The phone has a minimum of 2 Line (DN) keys The calls on both lines can be conferenced 		
Conference	1. While on a call, press the Conf soft key. The original caller is placed on hold.		
	2. Dial the extension or external phone number of the party you want to add to the call.		
	3. To add the new party to the conference, press the Conf soft key again.		
	 To return to the conference without adding the new party, press the Cancel soft key. 		

2.5 Additional System Features

Feature	Steps
Blacklist	 To add a number to the blacklist, dial *30. Enter the number to be added to the blacklist. Press 1 to confirm. Blacklisted numbers are screened and blocked from all incoming routes. Note: Internal numbers cannot be blacklisted.
Blacklist Cancel	 To remove a number from the blacklist, dial *31. Enter the number to be removed from the blacklist. Press 1 to confirm.
Blacklist Last Caller	 To add the number from the last caller to the blacklist, dial *32. Press 1 to confirm.
Call Recording toggle	 While on a call, dial *1 to start recording. The system will play a beep tone to indicate recording has started. To stop recording, press *1 again. The system will play a beep tone to indicate recording has stopped. On Demand Recording is configured by the UCx Administrator on a per extension basis.
Call Timer	 While the phone is idle, press the Feature key followed by the feature code 77 to show the duration of the last call. OR While in a call, press the Feature key followed by the feature code 77 to show the current static duration of the call.
Call Trace	 Dial *69 and the system will announce information about your last call. Enter 1 to dial the number of the last call.



Feature	Steps
Caller ID Blocking	 To block the Caller Name and ID for the next outbound call, press the Feature key and enter the feature code 819. To cancel the feature, press the Feature key and enter the feature code #819. Once any outbound call is made, the feature is automatically deactivated. This feature has no effect on internal calls.
Follow Me toggle	 To toggle the Follow Me feature ON and OFF, dial *21. The Follow Me feature is added by the UCx Administrator on a per extension basis.
Intercom Allow	 To allow all intercom calls to your phone, dial *54. To allow intercom calls from a specific EXTENSION, dial *54 + EXTENSION. (For example, to allow intercom calls from extension 200, dial *54200.)
Intercom Disallow	 To disallow all intercom calls to your phone, dial *55. To disallow intercom calls from a specific EXTENSION, dial *55 + EXTENSION. (For example, to disallow intercom calls from extension 200, dial *55200.)
Speak your Extension	 To have the system play a message saying your current extension number, dial *65.
Speak Time	 To have the system play a message saying the current system time, press the Feature soft key followed by the feature code 803.
Static Time and Date	 To always show the time and date on the phone's display screen, press the Feature soft key followed by the feature code 806. This feature is useful for phones with no dedicated date and time area. The Time and Date is displayed on the phone even when there are missed calls or new messages.
Stamp Log	 To create a time stamp log entry for troubleshooting purposes, press the Feature soft key followed by the feature code 9*9.
Wake Up Call	1. To schedule a reminder or wake-up call, dial *68 .



2.6 **Phone Configuration Features**

Feature	Steps
External Autodial	 This feature allows the user to configure a programmable button on their phone to dial a combination of digits, * and/or #. Typically, this feature is used to configure the programmable button as a speed dial for an external telephone number. When the button is pressed, the configured digits are automatically dialed. To program a button: 1. Press the Feature key followed by the feature code *1.
	2. Press the programmable button you want to program.
	 Enter the string of digits you want to configure. Press the Enter soft key.
Internal Autodial	This feature allows the user to configure a programmable button on their phone to dial an internal extension. When the button is pressed, the configured extension is automatically dialed. If the configured extension belongs to a Nortel phone, the button further provides the following functionality:
	• The icon associated with the programmable button indicates the current state of the configured extension
	 When the programmable button is pressed while the configured extension is alerting, the button invokes the directed pickup feature (i.e. allows the user to answer calls alerting at the configured extension)
	To program a button:
	1. Press the Feature key followed by the feature code *2.
	2. Press the programmable button you want to program.
	3. Enter the string of digits you want to configure.
	4. Press the Enter soft key.
Configure Feature	This feature allows the user to configure a programmable button on their phone to invoke any supported feature.
	1. Press the Feature key followed by the feature code *3.
	2. Press the programmable button you want to program.
	3. Enter the feature access code you want to configure.
	4. Press the Enter soft key.



Feature	Steps		
Language	This feature allows the user to configure the language of voice prompts used for services such as voice mail, conferencing, etc. To configure the language:		
	1. Press the Feature key followed by the desired language code:		
	*501 – English		
	*502 – French		
	*503 – Spanish		
	*504 – Default (The default language configured by your UCx Administrator.)		
Ring Type	This feature allows the user to select the ring type to be used by the phone. To configure the Ring Type:		
	1. Press the Feature key followed by the feature code *6.		
	 Use the Up and/or Down soft keys or digits 0 to 7 to select the desired ring type. 		
	3. Press the Enter soft key to save the selected ring type.		
Ring Volume	 This feature allows the user to select the ring volume to be used by the phone. To configure the Ring Volume: 1. Press the Feature key followed by the feature code *80. 		
	 Use the Up and/or Down soft keys or digits 0 to 7 to select the desired ring volume. 		
	3. Press the Enter soft key to save the selected ring volume.		
Contrast	This feature allows the user to select the display contrast to be used by the phone. To configure the Contrast:		
	1. Press the Feature key followed by the feature code *7 .		
	 Use the Up and/or Down soft keys or digits 0 to 9 to select the desired contrast. (Depending on the phone type, contrast levels of 4, 8 or 16 are supported.) 		
	3. Press the Enter soft key to save the selected contrast.		



Feature	Steps	
Time Zone Offset	By default, the UCx system time is displayed on the phone. If a phone is installe in a different time zone from the UCx system, time must be adjusted to display the correct time for that time zone. To adjust the time:	
	1. Press the Feature key followed by the feature code *510 .	
	 Use the Up and/or Down soft keys or digits 0 to 9 to select the desired time zone offset. 	
	3. Press the Enter soft key to save the selected time zone offset.	
Button Inquiry	To check what is programmed on a button on the phone:	
	1. Press the Feature key followed by the feature code *0 .	
	2. Press the button you want to check.	
Test Set	To test the functionality of a button on a phone:	
	1. Press the Feature key followed by the feature code 805 .	
	2. Press the button you want to test.	

2.7 Hotdesking

The Hotdesking feature allows you to temporarily assign an extension to a phone that normally uses another extension or has no extension assigned. For example, you mainly work from home but occasionally come to the office and you may want to assign your own extension to a phone located at the office. Another use of the Hotdesking feature is to have multiple users share phone(s) in the office. Physical phones have no extensions assigned – each user activates the Hotdesking feature to assign their extension to a phone when they want to use it.

Note: When using Hotdesking with different types of phones, the capabilities are determined by the phone in use. For example, if a physical phone with 2 programmable keys is hotdesked to an extension normally assigned to a phone with 4 programmable keys, only 2 programmable keys would be available during the Hotdesking session.

The physical phone that you want to activate Hotdesking must have the Hotdesking feature enabled. On your extension, the Hotdesking password must be configured.

Hotdesk from a phone with the Services Key

To invoke Hotdesking:

- 1. Press the Feature soft key followed by the feature code *999.
- 2. Enter the Hotdesk extension.
- 3. Enter the Hotdesk password.




To cancel Hotdesking:

1. Press the Feature soft key followed by the feature code #*999.

Hotdesk from an unregistered phone


To invoke Hotdesking:

- 1. Press the Hotdesk (HDesk) soft key
- 2. Enter the Hotdesk extension
- 3. Enter the Hotdesk password



To cancel Hotdesking:

1. Press the Unreg soft key





Hotdesk from a phone with a programmed key

To invoke Hotdesking:

- 1. Press the Hotdesk programmed key
- 2. Enter the Hotdesk extension
- 3. Enter the Hotdesk password

Hotdesk	Service	410	2
Not ready		410	2
E-MetroTel Powered by UC 410@ucx50.loca IP : 192.168.1.10	it	,9hC)5

To cancel Hotdesking:

1. Press the Hotdesk programmed key again

2.8 Call Center Agent Features

If your extension is a dynamic member of a queue, then you have to login to the queue to start receiving calls from that queue. (Note: Static members do not need to login and logout of a queue.)

To login to a queue:

1. Press the Feature soft key followed by the feature code 901. Your extension is added to all queues in which the extension is configured as a dynamic member.

OR

- 1. Dial ***45** + QUEUE. (For example, to login to queue 600, dial *****45600.) Your extension is added to the specified QUEUE.
- 2. The system will announce that your extension has been added.

To logout of a queue:

Press the Feature soft key followed by the feature code 901.
 Your extension is removed from all queues in which the extension is configured as a dynamic member.

OR



- 1. Dial ***45** + QUEUE. (For example, to logout of queue 600, dial *****45600.) Your extension is removed from the specified QUEUE.
- 2. The system will announce that your extension has been removed.

Queue agents can temporarily change their status to "Not Ready" and pause receiving calls from the queue.

To activate pause:

1. Press the **Feature** soft key followed by the feature code **902**. Your extension is paused for all queues.

OR

- 1. Dial *46 + QUEUE. (For example, to activate pause for queue 600, dial *46600.) Your extension is paused for the specified QUEUE.
- 2. The system will announce that pause has been activated.

To deactivate pause:

1. Press the **Feature** soft key followed by the feature code **902**. Your extension is un-paused for all queues.

OR

- 1. Dial *46 + QUEUE. (For example, to deactivate pause for queue 600, dial *46600.) Your extension is un-paused for the specified QUEUE.
- 2. The system will announce that pause has been deactivated.



3. SERVICES KEY

To invoke a feature using the Services key, perform the following steps:

- 1. While the phone is idle, press the Services key
- 2. Use the down arrow key to locate the desired feature
- 3. Press the Invoke soft key

Feature	Feature key access code	System Wide Star Codes or Keys
Stamp log	F9*9	9*9
Speed dial	FO	*0
Voice call (Intercom)	F66	*80 + EXTENSION
Group pickup	F75	*8
Directed pickup	F76	** + EXTENSION
Call timer	F77	
Do not disturb	F85	* 78 or * 76 (toggle)
Do not disturb cancel	F#85	* 79 or * 76 (toggle)
Call forward	F4	*72 + EXTENSION
Call forward cancel	F#4	*73
Forward to voicemail	F984	
CID blocking	F819	
CID blocking cancel	F#819	
Hotdesking	F*999	
Hotdesking cancel	F#*999	
Static Time/Date	F806	
Static Time/Date cancel	F#806	
Agent Login / Logout	F901	*45 + QUEUE number
Agent Not Ready / Ready	F902	*46 + QUEUE number
External autodial	F*1	
Internal autodial	F*2	
Configure feature	F*3	

Features available from Services Key listed in order of appearance



Feature	Feature key access code	System Wide Star Codes or Keys
Language - English	F*501	
Language - French	F*502	
Language - Spanish	F*503	
Language - default	F*504	
Time zone offset	F*510	
Ring type	F*6	
Contrast	F*7	
Ring volume	F*80	
Page general	F60	
Page zone 1	F611	
Page zone 2	F612	
Page zone 3	F613	
Page zone 4	F614	
Page zone 5	F615	
Page zone 6	F616	
Redial	F5	Redial soft key
Voicemail	F981	*97
Voicemail number	F985	
Leave Message	F980	#*
Call log	F812	Outbox key
Directory	F960	Directory key
Time announcement	F803	*60
Button inquiry	F*0	
Test sets	F805	



4. VOICEMAIL

4.1 Accessing Voicemail

If your UC^X administrator has configured a mailbox for your Extension, your phone will indicate with a red lamp that you have message(s) waiting. For more details, refer to the **UCx Voicemail User Guide**.

To access your voicemail box:

1. Press the Inbox key

Or you can:

1. Press the Feature key followed by the feature code 981.

To access your mailbox from a different phone:

 Dial *98 + EXTENSION For example, to access the mailbox of extension 200, dial *98200.

To display the voicemail number for your extension:

- 1. Press the Feature key followed by the feature code 985.
- 2. The voicemail extension number will be displayed.

4.2 Direct Dial to Voicemail

You can dial directly to an Extension's voicemail box without ringing the phone set:

- 1. Press the Feature key followed by the feature code 980.
- 2. Enter the EXTENSION number that you want to leave a message for.



5. USER EXTENSION PORTAL

Each Extension created with a voicemail box has access to a user extension portal where the end user can access their own voicemail box, call recordings and other features enabled for the Extension. For more details, refer to the *User Manual for UCx User Extension Portal*.

Accessing the User Extension Portal

Access the user portal by entering the following URL in a web browser:

http://your_ucx_server_ip_hostname/recordings

For example, if your UC^X Server IP address is 192.168.1.200, access the user portal as follows:

http://192.168.1.200/recordings

Log-in using your EXTENSION number and your voicemail password.

E-MetroTel	
Login	
Login: Password:	
This is th	Voicemail Mailbox and Password ne same password used for the phone word maintenance or assistance, contact your Phone System Administrator.